

twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL

Ficha Técnica AT-PAN1DC(L)

www.twilight.mx

 / [twilightsadecv](#)

 / [twilightsadecv](#)

 / [twilightsadecv](#)

Digital Immersion Type Refractometer PAN-1DC L



The PAN-1DC (L) is 50 cm long.

Specifications

Model	PAN-1DC L
Cat.No.	3608
Range	Brix : 0.0 ~ 42.0%
Accuracy	±0.2%
Temperature compensation	10.0 ~ 95.0°C
Ambient Temperature	10 ~ 45°C
Output	RS-232C
Power Supply	DC 24V
International Protection Class	Immersed part IP67
Dimensions & Weight	80×72×600mm, 780g
Included Accessories	Cable included (DC24V Input, RS-232C Output), standard length: 2m [*1]

[Shop](#)

[Quotation Request](#)

[Send an inquiry](#)

[Installation](#)

[Application](#)

[*1]: Cable length can be extended up to 15m. Please contact us for price details.

twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL



LLÁMANOS

+52(81) 8115-1400 / +52 (81) 8173-4300

LADA Sin Costo:
01 800 087 43 75

E-mail:
ventas@twilight.mx

www.twilight.mx