

# twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL

## Analizador de humedad Fuzhou FZ-MA120C

[www.twilight.mx](http://www.twilight.mx)

 / [twilightsadecv](https://www.facebook.com/twilightsadecv)

 / [twilightsadecv](https://twitter.com/twilightsadecv)

 / [twilightsadecv](https://www.youtube.com/twilightsadecv)

# Moisture Analyzer From Fuzhou Precise Weighing Tech

MA series moisture meter is user-friendly , with excellent performance , widely used to test the material's rate of water content in industries such as foodstuff、 food、 tobacco、 pharmacy、 petrol、 chemical、 coating material、 minerals、 environmental protection etc.

MA series moisture meter with LCD bright light display , clear and easy to read ; Panels with button , easy to operate ; With 10 test mode available ,you can set it according to the sample's material



Model	Weighing Range	Readability	Temperature	Operate Temp	pan Size	Housing Size	Heating mode
MA120A	0-120g	0.01g/0.1%	45-160°C	15-35°C	φ110 mm	D*W*H 325*205* 165mm	halogen lamp
MA120B		0.005g/0.05%					
MA120C		0.001g/0.01%					
MA120D		0.001g/0.01%					
MA54E	0-50g	0.0001g/0.001%					

**Note : MA-120A/B/C use loadcell sensor , MA-120D and MA54E use electro magnetic force sensor**

# Density Meter From Fuzhou Precise Weighing Tech



- ▶ LCD背光显示, 显示清晰方便;  
LCD back light display , clear and easy ;
- ▶ 操作简单, 直接称量, 直接读取测量结果;  
User friendly , directly measure , directly read the test result ;
- ▶ 高智能化, 可在全量程范围内去皮、清零, 超载显示;  
Highly intelligent,with tare、 return to zero、 overload sign in full weighing range
- ▶ 采用纯水 (可设定其它液体密度参数) 中置换 (悬架) 法;  
Use Archimedes principle to measure the density by pure water or other liquid
- ▶ 可测量固体密度 (选购: 浮体/颗粒套件) ;  
Can test solid density (optional:floating body/grains kits)
- ▶ 具有容器和直读软件, 可测量任何形状的固体样品;  
Can measure any shape or solid sample. Price include density sets and software
- ▶ 完全直读不需要再人工运算, 节省人工运算工时;  
Direct read without manual calculation to save time .
- ▶ 可改变辅助液体温度补偿系数;  
Can change the temperature of reference liquid to compensate the coefficient .
- ▶ 具有RS-232C接口, 可与打印机、计算机等设备连接。  
With RS-232C interface , connect with printer and computer etc. easily .

Model	Weighing Range	Readability	Repeatability	Sample	pan Size	Housing Size
DM1204	120	0.0001g, 0.0001g/gcc	±0.0003g	Solid	φ60 mm	D*W*H 325*205* 305mm
DM203	200	0.001g, 0.001g/gcc	±0.002g			
DM303	300	0.001g, 0.001g/gcc	±0.002g			
DM3002	3000	0.01g, 0.01g/gcc	±0.02g		φ160 mm	

**Note : ALL DM series use electro magnetic force sensor**

# twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL



LLÁMANOS

+52(81) 8115-1400 / +52 (81) 8173-4300

LADA Sin Costo:  
01 800 087 43 75

E-mail:  
[ventas@twilight.mx](mailto:ventas@twilight.mx)

[www.twilight.mx](http://www.twilight.mx)



/ [twightsadecv](https://www.facebook.com/twightsadecv)



/ [twightsadecv](https://twitter.com/twightsadecv)



/ [twightsadecv](https://www.youtube.com/twightsadecv)