

twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL

Sistema Horizontal IM-MH2COFX

www.twilight.mx

 / [twilightsadecv](#)

 / [twilightsadecv](#)

 / [twilightsadecv](#)



FORCE & TORQUE MEASUREMENT
ISO 9001 & ISO/IEC 17025 ACCREDITED

IMADA® , Inc.

3100 Dundee Rd., Suite 707, Northbrook, IL 60062
Tel: 847-562-0834 Fax: 847-562-0839
www.imada.com E-mail: imada@imada.com

**Calculate
Static & Average
Kinetic COF**

COF Tester


Vertical Model: MX2-COF-1 (17 ozf capacity)

MX2-COF-4 (4 lbf capacity)

Horizontal Model: MH2-COF-1 (17 ozf capacity)

MH2-COF-4 (4 lbf capacity)

- Complete with data acquisition software
- 200g sled weight (1kg sled weights available)
- Wide speed range 10~305 mm/min
- Stroke: 9" (230mm)
- Work table accommodates samples 4.7" wide x 10" long
- lbf, kgf, and Newton units are selectable
- Easy-to-use program dial and menu screens control mode, speed and timer
- USB, RS-232C and Analog outputs



Easy-to-use program dial and menu screens



MX2-COF




Data Acquisition Software features

- Automatically calculate static COF and average kinetic COF for the selected range
- Automatic start and stop triggers
- Zoom into individual data points at 0.5 mS
- Capture 2,000 data/sec for extremely smooth profile graphs
- Overlay multiple graphs
- Control gauge settings and operation



MH2-COF



Force Recorder processes 2,000 data per second, creates a profile graph and automatically calculates the static COF and average kinetic COF for the selected range.

twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL



LLÁMANOS

+52(81) 8115-1400 / +52 (81) 8173-4300

LADA Sin Costo:
01 800 087 43 75

E-mail:
ventas@twilight.mx

www.twilight.mx



/ [twightsadecv](https://www.facebook.com/twightsadecv)



/ [twightsadecv](https://twitter.com/twightsadecv)



/ [twightsadecv](https://www.youtube.com/twightsadecv)