

twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL

Calibrador de sonómetros Clase 2, Tenmars TN-TM100

www.twilight.mx

 / [twightsadecv](https://www.facebook.com/twightsadecv)

 / [twightsadecv](https://twitter.com/twightsadecv)

 / [twightsadecv](https://www.youtube.com/twightsadecv)



- According to standard: ANSI S1.4 - 1984 and IEC 942 1988 class 2
- Setting standard sound level at 94 dB and 114 dB
- 1/2 microphone adapter provided
- Low battery indicator
- Size : \varnothing 48x125mm
- Weight: about 285g (including battery)

Output frequency	Test condition	Accuracy
1KHz \pm 4%	<ul style="list-style-type: none"> • Environment temperature:20°C • Relative humidity:65% • Atmospheric pressure:1013m bar 	\pm 0.5dB

twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL



LLÁMANOS

+52(81) 8115-1400 / +52 (81) 8173-4300

LADA Sin Costo:
01 800 087 43 75

E-mail:
ventas@twilight.mx

www.twilight.mx



/ [twightsadecv](https://www.facebook.com/twightsadecv)



/ [twightsadecv](https://twitter.com/twightsadecv)



/ [twightsadecv](https://www.youtube.com/twightsadecv)