

# twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL

## Boroscopio Camara 6mm y Sonda de 20 Metros WP-S710D5


[www.twilight.mx](http://www.twilight.mx)

 / [twightsadecv](https://www.facebook.com/twightsadecv)


 / [twightsadecv](https://twitter.com/twightsadecv)

 / [twightsadecv](https://www.youtube.com/twightsadecv)

# Model No. WPS710D5



Camera Head		Monitor		Control Box	
Camera Size:	ø6mm	Size:	7inch digital color	Work current/supply:	150MA / DC12V
View angle:	60°	Total Pixels:	800X480	Storage medium:	8G SD card(max 32G) SD card reader
Work current:	150MA	Work current/supply:	150MA / DC12V	Battery level display	
Power supply:	DC 3 3V	OSD language:	English	Picture snap & movie record	
Camera light:	4PCS white LEDs	Image reversible		DVR Total Pixels:	720X576 (D1)
Resolution:	PAL: 720X625 NTSC: 720X525	Model:	16:9&4:3	Movie format:	AVI
Glass material:	glass	Sunshade		Microphone Audio record	
Shell material:	Stainless steel	<b>Li-ion Battery</b>		Stereo earphone output	
<b>Cable Wheel</b>		Total Power:	14W	<b>Charger</b>	
Cable size:	ø320mmX110(h)	Charge time:	5hours	Input:	AC100-240V~50/60Hz
Wire material:	Fiberglass rod	Protective voltage:	8.1V	Output:	DC 12V/1000MA
Wire length:	20m(standard)	Work time:	≥260minutes	DC plug diameter:	2.1mm
Wire diameter:	ø5.0mm	<b>Suitcase</b>			
<b>Skid</b>		Size:	L480XW415XH200mm		
Skid	ø12mm	Material:	Fire board & Aluminum alloy		



# twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL



LLÁMANOS

+52(81) 8115-1400 / +52 (81) 8173-4300

LADA Sin Costo:  
01 800 087 43 75

E-mail:  
[ventas@twilight.mx](mailto:ventas@twilight.mx)

[www.twilight.mx](http://www.twilight.mx)