

Kit De Prueba de Abrasivos PosiTector DF-SSTABRKIT

www.twilight.mx







PosiTector SST Abrasives Test Kit

Measures the concentration of soluble salts in blast cleaning abrasives

Conforms to

ASTM D4940


Standard Test Method for Conductimetric Analysis of Water Soluble Ionic Contamination of Blast Cleaning Abrasives

Features

- Quickly test abrasives for soluble salt contamination in the field or laboratory
- Specifically designed for ASTM D4940 and ISO 11127-6
- Includes everything required to measure abrasive contamination using a PosiTector SST or other conductivity meter
- Portable includes a durable, hard shell case
- Includes certified conductivity standard (calibration solution) to verify meter accuracy. Certificate of Analysis included.

KIT CONTENTS

600 ml glass beaker 100 ml glass beaker 600 ml plastic beaker Plastic funnel 60 ml Certified Conductivity Standard 1 liter deionized water (type II) 100 circle filters (125 mm) Stainless steel mixing rod Instruction card Certificate of Analysis Hard-shell carrying case



for use with the PosiTector SST or any existing conductivity meter



Consumables

Certified Conductivity Standard SSTSLTN84 (60 ml)

to verify meter accuracy

Deionized Water SSTDIWATER or SSTDIWATER1L (250 ml or 1L)

purified, ion-free water

Circle Filters SSTABRFILTER (100 pack) 125 mm for use with Abrasives Test Kit

CASE SIZE: 43 x 36 x 17 cm (17" x 14" x 6.75")

WEIGHT: 3.7 kg (8.25 lbs.)

Conforms to ISO 11127-6, ASTM D4940



©DeFelsko Corporation USA 2018. All Rights Reserved. Technical Data subject to change without notice. • Printed in USA • PSSTABRKIT.v.LW/W1803









ULÁMANOS

+52(81) 8115-1400 / +52 (81) 8173-4300

LADA Sin Costo: **01 800 087 43 75**

E-mail: ventas@twilight.mx



